



Anti-Foamer

DEFOAMER - ANTIFOAM

PRINCIPAL FUNCTIONING AGENTS:

Polydimethylsiloxane	10%
Constituents ineffective as a spray adjuvant	90%
TOTAL	100%

All ingredients are exempt from tolerance requirements under 40 CFR 180

CAUTION KEEP OUT OF REACH OF CHILDREN

Avoid eye and skin contact. Avoid ingestion, breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

Have the product container with you when calling a poison control center or doctor, or going for treatment.

If Swallowed: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye.

SN: CLB10201016ALG-070209

**Distributed By: Alligare, LLC
13 N. 8th Street, Opelika, AL 36801**

Anti-Foamer is designed for use with pest control tank mixes wherever foaming is expected or occurring. **Anti-Foamer** uses a highly efficient silicone oil-in-water (o/w) emulsion to deliver superior knockdown in a small amount of defoamer or to suppress foam before it starts.

DIRECTIONS FOR USE

Note: All tank mixtures are different. The amounts recommended below are based on experience. For mixtures that are easily defoamed, use lower amounts. For mixtures that are tough to defoam, more may be required. The general use rate of **Anti-Foamer** is 1/2 - 1 oz. per 100 gallons of solution.

As an antifoam, add the **Anti-Foamer** after the water and another ingredient has been added to the tank mixture. Squirt directly into the tank mixture. Do not add to any tank surface. Add the rest of the ingredients.

If foaming becomes a problem, add **Anti-Foamer** to the tank until foaming stops. Foaming for urea/water solutions may be difficult to control and the addition of more **Anti-Foamer** may be necessary to suppress foam to the desired level.

Handling and Storage: Silicone emulsions may thicken and freeze in cold temperatures. If this product has been frozen or shows signs of layering, warm to above 40°F (5°C) **SHAKE THE BOTTLE WELL BEFORE USING.** Store in original container in a cool, dry area. Do not add water to the bottle before use. Storage between 40°F (5°C) and 90°F (32°C) is recommended. Do not store near oxidizing agents.

Disposal: Do not reuse empty container. Triple rinse (or equivalent) during mixing and loading and dump rinsate into tank mix. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state and local ACRC recycler visit the ACRC web page at <http://www.acrecycle.org>. If allowed by law, decontaminated containers may be disposed of in a sanitary landfill or burned. If burning is allowed by law, stay out of smoke.

WARRANTY

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label, when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

28 oz.

26 oz.

24 oz.

22 oz.

20 oz.

18 oz.

16 oz.

14 oz.

12 oz.

10 oz.

8 oz.

6 oz.

4 oz.