


EXISTING ARRANGEMENT

A-END PLAN VIEW










- 1. CONTRACTOR SHALL PERFORM PRE-DEMOLITION WALK THROUGH WITH OWNER'S REPRESENTATIVE TO FIELD VERIFY, CONFIRM AND MARK ALL MATERIALS, SYSTEMS AND EQUIPMENT TO BE REMOVED PRIOR TO BEGINNING DEMOLITION WORK. ANY ITEMS DESIGNATED FOR SALVAGE SHALL BE DELIVERED TO ARRC.
- DISASSEMBLE AND RETURN TO ARRC:
- STANDUP FREEZER
- 2.b. MICROWAVE OVEN
- REFRIGERATED DISPLAY CASE 2.c.
- 2.d. LANG MELTMASTER
- HATCO HEAT STRIP 2.e.
- 2.f. CONVECTION OVEN
- REMOTE COMPRESSOR UNDERCOUNTER FREEZER
- GALLEY FAUCETS
- 3. DISASSEMBLE AND RETAIN FOR REINSTALLATION:
- PA SYSTEM 3.a.
- 3.b. GALLEY & LAVATORY DOORS, HALLWAY PARTITIONS & TRIM
- 3.c. LAVATORY FAUCETS
- 4. DEMO AND DISPOSE OF:
- FINISH FLOORING AND SUBFLOOR
- GALLEY FLOOR PANS & MATS 4.b.
- LAVATORY CABINETS & COUNTER TOPS 4.c.
- FLOOR MOUNTED STAINLESS STEEL 4.d.
- CABINETRY & COUNTER TOPS MICROWAVE OVEN SHELF
- 4.e.
- 4. f. EXHAUST HOOD
- 5. ITEMS TO REMAIN INSTALLED:
- ABOVE COUNTER CABINETRY 5.a.


















1 1				
]				
├				
DESIGNE				
DRAWN				
CHECKE				
CHECKE APPROV	REVISION	BY	DATE	REV.


ALASKA RAILROAD CORPORATION ENGINEERING SERVICES

P.O. BOX 107500, ANCHORAGE, ALASKA 99510-7500

MOTIVE POWER AND EQUIPMENT PASSENGER EQUIPMENT

ARR 551-554 GALLEY / LAV REFURB **DEMOLITION PLAN**

DESIGNED BY:	ARRC			AFE NO.:
DRAWN BY:	CDL	SCALE :		ACAD FILE:
JIMIN DI.	CDL			DWG NO.
CHECKED BY:	ARRC	DATE :	AUGUST 2025	1 0 3
APPROVED BY:	ARRC			 0



SUBFLOOR REPLACEMENT A-END PLAN VIEW


- 1. DEMOLISH AND DISCARD:
- GALLEY, HALLWAY AND LAVATORY AREA FLOORING 1.a. AND SUBFLOOR
- PROVIDE 3/4" PLYWOOD TEMPORARY SUBFLOOR FOR 1.a.a. WORKING SURFACE AS NEEDED.
- 1.b. UNDERFLOOR INSULATION WHERE DAMAGED.
- UNDERFLOOR SPARK GUARDS WHERE CORRODED OR DECAYED.
- 2. REMOVE CORROSION AND SCALE FROM UNDERLYING CAR STRUCTURE. COAT WITH RUST INHIBITING PRIMER.
- 3. PROVIDE AND INSTALL:
- NEW 16 GA GALVANNEALED SPARK GUARDS WHERE MISSING OR DAMAGED.
- NEW UNDERFLOOR FIBERGLASS INSULATION BATTING MATCHING ORIGINAL THICKNESS.
- COMPOSITE SUBFLOOR PANELS (ARRC PROVIDED)
 - COAT ANY AREA OF BARE METAL FLOOR JOIST EXPOSED FROM DEMOLITION WITH RUST INHIBITING COATING PRIOR TO SUBFLOOR INSTALLATION.
- 3.c.b. INSTALL COMPOSITE SUBFLOOR IN ACCORDANCE WITH THE MANUFACTURERS INSTRUCTIONS. COMPOSITE PANELS TO BE LEVELED AND BONDED TO EXISTING SUBSTRUCTURE. FABRICATE AND INSTALL ADDITIONAL FRAMING AS REQUIRED PER SUBFLOOR MANUFACTURERS MAXIMUM SPAN, ALL EDGES OF COMPOSITE PANELS TO BE SUPPORTED BY MINIMUM 1/2" OVERLAP TO SUB-STRUCTURE SUPPORTS.
- 3.c.c. TRIM SUBFLOOR PANELS TO FIT AS REQUIRED. PANELS MAY BE CUT WITH STANDARD WOODWORKING TOOLS FITTED WITH DIAMOND TIPPED BLADES.


ALASKA RAILROAD CORPORATION


ENGINEERING SERVICES P.O. BOX 107500, ANCHORAGE, ALASKA 99510-7500

ACAD FILE:

2__ or_ **3**








NOT IN CONTRACT

KEY PLAN

P:\Engineering\Motive



B-B NEW GALLEY WALL PANELS

3 A-END HALLWAY LEFT SIDE ELEVATION



ALASKA RAILROAD CORPORATION
ENGINEERING SERVICES
P.O. BOX 107500, ANCHORAGE, ALASKA 99510-7500

F.O. BOX 10/300, ANCHORAGE, ALASKA 99510-7300

MOTIVE POWER AND EQUIPMENT PASSENGER EQUIPMENT

ARR 551-554 GALLEY / LAV REFURB INSTALLATION