



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00

PAGE 1 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

SHIPPED VIA

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

DATE SHIPPED

COLOR CODE	COLOR	GA	KSI	TEXTURE
BOLT	ZINC PLATED			
EAVE TRIM	S200 POLAR WHITE (PMW1614)	24	50	SMOOTH
MISC	S200 POLAR WHITE (PMW1614)	26	50	SMOOTH
MISC1	MATTE BLACK (PMA5515)	26	50	SMOOTH
SCREW	GALVALUME PLUS			
SOFFIT	S300 SNOW WHITE (431R539)	26	80	SMOOTH
SOFFIT TRIM	S300 SNOW WHITE (431R539)	26	50	SMOOTH
SOFFIT1	S300 SNOW WHITE (431R539)	26	50	SMOOTH
STRUCTURAL	PRIMER GRAY			
UNPAINTED	UNPAINTED			

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STRUCTURAL

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 2 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
1	BGC1G	Welded Bridge Channel	PRIMER GRAY STRUCTURAL	3- 2 7/8 26.0124
1	BGC1H	Welded Peak Bridge Channel	PRIMER GRAY STRUCTURAL	2- 4 9/16 26.6993
1	BGC2G	Welded Bridge Channel	PRIMER GRAY STRUCTURAL	3- 4 7/16 33.2302
1	C1A	Frame Column	PRIMER GRAY STRUCTURAL	18- 6 5/8 669.5063
1	C1B	Frame Column	PRIMER GRAY STRUCTURAL	18- 6 5/8 669.5384
1	C1CA	Frame Column	PRIMER GRAY STRUCTURAL	18- 7 7/16 703.1882
1	C1CB	Frame Column	PRIMER GRAY STRUCTURAL	18- 7 7/16 703.1882
1	C1DA	Frame Column	PRIMER GRAY STRUCTURAL	18- 7 7/16 703.1882
1	C1DB	Frame Column	PRIMER GRAY STRUCTURAL	18- 7 7/16 703.1882
1	C1E	Frame Column	PRIMER GRAY STRUCTURAL	18- 3 9/16 556.1983
1	C1F	Frame Column	PRIMER GRAY STRUCTURAL	18- 3 9/16 556.1983
1	CM3G	RFEW Column	PRIMER GRAY STRUCTURAL	21- 4 13/16 346.9694
1	CM3H	RFEW Column	PRIMER GRAY STRUCTURAL	22- 3 7/16 362.3073
1	HC10X	8C X 2.5 X 16Ga Header/Sill	PRIMER GRAY STRUCTURAL	14- 0 40.4928
9	HC2X	8C X 2.5 X 16Ga Header/Sill	PRIMER GRAY STRUCTURAL	12- 0 35.1888
1	HC8X	8C X 2.5 X 16Ga Header/Sill	PRIMER GRAY STRUCTURAL	4- 4 1/2 14.9673

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STRUCTURAL

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 3 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
1	JLC11X	8C X 3.5 X 12Ga Left Jamb	PRIMER GRAY STRUCTURAL	2- 0 11/16 11.4274
8	JLC1X	8C X 2.5 X 16Ga Right Jamb	PRIMER GRAY STRUCTURAL	6- 0 17.384
8	JLC3X	8C X 2.5 X 16Ga Right Jamb	PRIMER GRAY STRUCTURAL	4- 6 14.5948
4	JLC4X	8C X 2.5 X 16Ga Left Jamb	PRIMER GRAY STRUCTURAL	3- 8 13/16 11.4766
2	JLC6X	8C X 3.5 X 13Ga Right Jamb	PRIMER GRAY STRUCTURAL	13- 8 69.0521
2	JLC7X	8C X 3.5 X 14Ga Right Jamb	PRIMER GRAY STRUCTURAL	4- 6 19.326
2	JLC9X	8C X 3.5 X 12Ga Right Jamb	PRIMER GRAY STRUCTURAL	13- 8 83.4775
1	JRC12X	8C X 3.5 X 12Ga Right Jamb	PRIMER GRAY STRUCTURAL	4- 9 3/8 26.9147
4	JRC5X	8C X 2.5 X 16Ga Right Jamb	PRIMER GRAY STRUCTURAL	3- 8 13/16 11.4766
1	R1A	Frame Rafter	PRIMER GRAY STRUCTURAL	15- 5 7/16 430.8043
1	R1B	Frame Rafter	PRIMER GRAY STRUCTURAL	15- 5 7/16 430.8043
2	R1C	Frame Rafter	PRIMER GRAY STRUCTURAL	15- 5 5/8 605.6097
2	R1D	Frame Rafter	PRIMER GRAY STRUCTURAL	15- 5 5/8 605.6097
1	R1E	Frame Rafter	PRIMER GRAY STRUCTURAL	16- 8 5/16 584.5477
1	R1F	Frame Rafter	PRIMER GRAY STRUCTURAL	16- 8 5/16 584.5477
4	RF1J	Canopy Rafter	PRIMER GRAY STRUCTURAL	2-11 5/8 124.073

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STRUCTURAL

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 4 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
2	RF2J	Canopy Rafter	PRIMER GRAY STRUCTURAL	2-11 5/8 126.623
2	RF3J	Canopy Rafter	PRIMER GRAY STRUCTURAL	2-11 5/8 126.623
4	WR1200	3/4" Rod Brace W/Rod Only	PRIMER GRAY STRUCTURAL	26- 7 39.875
4	WR2023	1 1/4" Rod Brace W/2 Clevis & 1 Turnbuckle	PRIMER GRAY STRUCTURAL	26- 4 119.2664
4	CL472A	ES to Purlin Angle	PRIMER GRAY STRUCTURAL	0- 9 1/8 1.2547
8	CL472B	ES to Purlin Angle	PRIMER GRAY STRUCTURAL	1- 5 9/16 2.4148
16	KBA1	Knock-In-Bridging	PRIMER GRAY STRUCTURAL	1- 8 11/16 0.7186
16	KBA1A	Knock-In-Bridging	PRIMER GRAY STRUCTURAL	0-10 1/2 0.3647
64	KBA1B	Knock-In-Bridging	PRIMER GRAY STRUCTURAL	3- 3 1.3547
16	KBA1C	Knock-In-Bridging	PRIMER GRAY STRUCTURAL	3- 2 1.32
12	KBA1D	Knock-In-Bridging	PRIMER GRAY STRUCTURAL	1- 4 3/4 0.5818
12	KBA1E	Knock-In-Bridging	PRIMER GRAY STRUCTURAL	0-10 1/8 0.3517
12	LW1	Wall Sag Angle	PRIMER GRAY STRUCTURAL	4- 1 1/8 4.0937
4	LW1A	Wall Sag Angle	PRIMER GRAY STRUCTURAL	5-11 7/8 5.9896
2	LW1B	Wall Sag Angle	PRIMER GRAY STRUCTURAL	3- 3 7/8 3.3229

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STRUCTURAL

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 5 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
2	LW1C	Wall Sag Angle	PRIMER GRAY STRUCTURAL	4- 6 1/2 4.5417
4	LW1D	Wall Sag Angle	PRIMER GRAY STRUCTURAL	3- 2 7/8 3.2396
4	LW1E	Wall Sag Angle	PRIMER GRAY STRUCTURAL	6- 0 7/8 6.0729
1	LW1F	Wall Sag Angle	PRIMER GRAY STRUCTURAL	3- 3 15/16 3.3281
1	LW1G	Wall Sag Angle	PRIMER GRAY STRUCTURAL	4- 6 3/4 4.5625
1	LW1H	Wall Sag Angle	PRIMER GRAY STRUCTURAL	5- 9 5/8 5.8021
1	LW1I	Wall Sag Angle	PRIMER GRAY STRUCTURAL	3- 8 7/16 3.7031
1	LW1J	Wall Sag Angle	PRIMER GRAY STRUCTURAL	2-10 7/8 2.9062

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 6 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
5	FB4	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	2-10 1/4 2.6769
2	FB4A	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 2 1/4 2.9895
6	FB4B	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 2 1/2 3.009
8	FB4C	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 8 1/2 3.478
2	FB4D	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 0 1/4 2.8332
2	FB4E	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 1 2.8918
2	FB4F	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 8 1/4 3.4585
4	FB4G	Flg Brace 2 X 2 X .070 (Blocked)	PRIMER GRAY STRUCTURAL	3- 8 3.439

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STRUCTURAL

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 7 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
4	FB6	Flg Brace 2 X 2 X 1/8	PRIMER GRAY	2-11 1/4
			STRUCTURAL	4.8469
4	FB6A	Flg Brace 2 X 2 X 1/8	PRIMER GRAY	3- 4 3/4
			STRUCTURAL	5.6031
4	PA12	Parametric Angle - 11 15/16 Coil	PRIMER GRAY	20- 0
.			STRUCTURAL	47.9324

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STOCK ROOM

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00

PAGE 8 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

SHIPPED VIA

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

DATE SHIPPED

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
17	RA1-1	Sheeting Angle 4 X 2	PRIMER GRAY	20- 0
.			STRUCTURAL	23.84

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 9 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
6	SA9	Support Angle (1 1/2 X 2 1/2 X .07)	PRIMER GRAY	20- 0
.			STRUCTURAL	18.7578
4	CH1	10.25X3.0CH14	PRIMER GRAY	6-10
		CH10304NP=P=A	STRUCTURAL	25.9201
1	G-1	8X3.5Z12	PRIMER GRAY	22-11 1/2
.		ZZ08332NG=R+A	STRUCTURAL	130.6144
1	G-2	8X3.5Z14	PRIMER GRAY	22-11 1/2
.		ZZ08334NG=R+A	STRUCTURAL	87.0854
4	G-3	8X3.5Z14	PRIMER GRAY	24- 4 1/2
.		ZZ08334NR+R+A	STRUCTURAL	92.4593
1	G-4	8X3.5Z12	PRIMER GRAY	22-10 1/2
.		ZZ08332NR+G=A	STRUCTURAL	130.1405
1	G-5	8X3.5Z14	PRIMER GRAY	22-10 1/2
.		ZZ08334NR+G=A	STRUCTURAL	86.7695
2	G-6	8X2.5Z16	PRIMER GRAY	2- 3 1/2
.		ZZ08236NG=G=A	STRUCTURAL	6.0776
1	G-7	8X2.5Z14	PRIMER GRAY	19- 6 1/2
.		ZZ08234NP=T+A	STRUCTURAL	64.8159
1	G-8	8X2.5Z14	PRIMER GRAY	17- 7 1/2
.		ZZ08234NG=G=A	STRUCTURAL	58.4586
1	G-9	8X2.5Z16	PRIMER GRAY	17- 7 1/2
.		ZZ08236NG=G=A	STRUCTURAL	46.7415
1	G-10	8X2.5Z14	PRIMER GRAY	19- 6 1/2
.		ZZ08234NT+P=A	STRUCTURAL	64.8159
1	G-11	8X3.5Z12	PRIMER GRAY	22-10 1/2
.		ZZ08332NG=R+A	STRUCTURAL	130.1405
1	G-12	8X3.5Z14	PRIMER GRAY	22-10 1/2
.		ZZ08334NG=R+A	STRUCTURAL	86.7695
1	G-13	8X3.5Z12	PRIMER GRAY	22-11 1/2
.		ZZ08332NR+G=A	STRUCTURAL	130.6144
1	G-14	8X3.5Z14	PRIMER GRAY	22-11 1/2
.		ZZ08334NR+G=A	STRUCTURAL	87.0854

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 10 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
2	G-15	8X2.5Z16	PRIMER GRAY	4-10 1/2
.		ZZ08236NG=G=A	STRUCTURAL	12.9285
1	G-16	8X2.5Z12	PRIMER GRAY	24- 0 1/2
.		ZZ08232NP=V+A	STRUCTURAL	119.6123
2	G-17	8X2.5Z16	PRIMER GRAY	13- 0 1/2
.		ZZ08236NG=G=A	STRUCTURAL	34.5866
1	G-18	8X2.5Z16	PRIMER GRAY	16- 4 1/2
.		ZZ08236NV+P=A	STRUCTURAL	43.4265
1	G-29	8X2.5Z12	PRIMER GRAY	18- 0 1/2
.		ZZ08232NP=P=A	STRUCTURAL	89.7611
6	P-21	10X3.5Z12	PRIMER GRAY	25-11 1/2
.		ZZ10332NT+P=A	STRUCTURAL	166.2162
2	P-22	10X3.5Z12	PRIMER GRAY	20- 6 3/4
.		ZZ10332NG=G=A	STRUCTURAL	131.6658
13	P-23	10X3.5Z12	PRIMER GRAY	26- 4 1/2
.		ZZ10332NT+T+I	STRUCTURAL	168.8844
6	P-26	10X3.5Z12	PRIMER GRAY	25-10 1/2
.		ZZ10332NP=T+A	STRUCTURAL	165.6828
6	P-27	10X3.5Z12	PRIMER GRAY	25-10 1/2
.		ZZ10332NT+P=A	STRUCTURAL	165.6828
6	P-28	10X3.5Z12	PRIMER GRAY	25-11 1/2
.		ZZ10332NP=T+A	STRUCTURAL	166.2162
2	E-1	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	2- 9 1/16
.		EL10332NP=P=AE	STRUCTURAL	19.6093
1	E-2	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	19- 6 9/16
.		EL10332NP=P=AE	STRUCTURAL	139.1192
2	E-3	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	20- 7 9/16
.		EL10332NP=P=AE	STRUCTURAL	146.8293
1	E-4	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	19- 5 9/16
.		EL10332NP=P=AE	STRUCTURAL	138.5256
2	E-5	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	2- 9 1/16
.		EL10332NP=P=AE	STRUCTURAL	19.6093

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 11 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
1	E-6	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	19- 5 9/16
.		EL10332NP=P=AE	STRUCTURAL	138.5256
1	E-7	10X3.5E12 WEB = 0-10 1/2	PRIMER GRAY	19- 6 9/16
.		EL10332NP=P=AE	STRUCTURAL	139.1192
2	GC1	10X3.5C14	PRIMER GRAY	23- 5 1/2
.		CC10344NG=P=A	STRUCTURAL	100.1294
2	GC2	10X3.5C14	PRIMER GRAY	21- 4 1/2
		CC10344NG=G=A	STRUCTURAL	91.2371
1	GC3	10X3.5C14	PRIMER GRAY	23- 4 1/2
		CC10344NP=G=A	STRUCTURAL	99.7739
1	GC4	10X3.5C14	PRIMER GRAY	23- 4 1/2
		CC10344NG=P=A	STRUCTURAL	99.7739
1	GC5	10X3.5C14	PRIMER GRAY	23- 5 1/2
		CC10344NP=G=A	STRUCTURAL	100.1294
11	CL292	Flush Column Sheeting Clip	PRIMER GRAY	
.			STRUCTURAL	0.7121

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STRUCTURAL

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 12 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
11	PC31	Flat Corner Sheeting Clip	PRIMER GRAY	2- 0
.			STRUCTURAL	0.9528
4	PC43	Purlin Strut Clip	PRIMER GRAY	
			STRUCTURAL	1.2716
4	PC43A	Purlin Strut Clip	PRIMER GRAY	
			STRUCTURAL	1.6066
4	PC78	Endwall Column to Endwall Girt	PRIMER GRAY	
			STRUCTURAL	4.6655
8	PC80	Purlin Ridge Tie	PRIMER GRAY	
			STRUCTURAL	7.4091
5	SC1	Purlin & Girt Clip 8" Bypass	PRIMER GRAY	
.			STRUCTURAL	2.2033
8	SC58	Corner Column Girt Clip 8" Bypass	PRIMER GRAY	
			STRUCTURAL	5.4099
16	SC92	Anti-Roll Back-up Clip 10"	PRIMER GRAY	
			STRUCTURAL	4.1471

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STOCK ROOM

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 13 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
1	EPACKAGE	Erection Package	UNPAINTED	
			UNPAINTED	1.0
792	HS5125	1/2" X 1 1/4" A325 Bolt (FT)	ZINC PLATED	
.			BOLT	0.117
16	HS5175	1/2" X 1 3/4" A325 Bolt (FT)	ZINC PLATED	
.			BOLT	0.141
23	HS75175	3/4" X 1 3/4" A325 Bolt Type 1	ZINC PLATED	
.			BOLT	0.365
26	HS75200	3/4" X 2" A325 Bolt Type 1	ZINC PLATED	
.			BOLT	0.39
71	HS75225	3/4" X 2 1/4" A325 Bolt Type 1	ZINC PLATED	
.			BOLT	0.42
23	HS75250	3/4" X 2 1/2" A325 Bolt Type 1	ZINC PLATED	
.			BOLT	0.45
52	HS100325	1" X 3 1/4" A325 Bolt Type 1	ZINC PLATED	
.			BOLT	1.04
15	HS125300	1 1/4" X 3" A325 Bolt (FT)	ZINC PLATED	
.			BOLT	1.67
799	HSN500	1/2" A563 Grade C Heavy Hex Nut	ZINC PLATED	
.			BOLT	0.0654
137	HSN750	3/4" A563 Grade C Heavy Hex Nut	ZINC PLATED	
.			BOLT	0.193
55	HSN1000	1" A563 Grade C Heavy Hex Nut	ZINC PLATED	
.			BOLT	0.425
15	HSN1250	1 1/4" A563 Grade C Heavy Hex Nut	ZINC PLATED	
.			BOLT	0.786
15	WFH750	3/4" Dia ASTM F436 Flat Washer	ZINC PLATED	
.			BOLT	0.11
8	WS120	3/4" & 7/8" Slope Washer	PRIMER GRAY	
			STRUCTURAL	1.5

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 14 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
		BEGIN SHEET/FLASH RECORDS		
6	PBR-1	PBR 36" Soffit Panel	SNOW WHITE	10- 5
.		SPBRX6S12500000000	SOFFIT	28.0208
4	PBR-2	PBR 36" Soffit Panel	SNOW WHITE	9-10
.		SPBRX6S11800000000	SOFFIT	26.4517
42	PBR-3	PBR 36" Soffit Panel	SNOW WHITE	1- 3 1/2
.		SPBRX6S01550000000	SOFFIT	3.4746

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00

PAGE 15 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

SHIPPED VIA

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

DATE SHIPPED

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
2	FS42	42 3/4" Flat Sheet	SNOW WHITE	10- 2
.			SOFFIT1	26.6208

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



STOCK ROOM

WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 16 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC
ADDRESS SANDPOINT, ID

SHIP TO ALASKA RAILROAD CORPORATION
ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
94	HW429	PBR Outside Metal Closure 0:12 thru 1 1/2:12	MATTE BLACK	3- 0 3/4
.			MISC1	0.4693
500	#12A-1	12-14 x 1 SD Pancake Screw, DP3, W/O Washer	GALVALUME PLUS	
.			SCREW	0.007
250	#14-1	1/8 x 3/16 Pop Rivet (Stainless)	SNOW WHITE	
			SOFFIT TRIM	0.0029
250	#14A-1	1/8 x 3/8 Pop Rivet (Stainless)	S200 POLAR WHITE	
.			MISC	0.003
500	#1B-1	1/4-14 x 1 1/4 SD Screw, W/O Washer	GALVALUME PLUS	
.			SCREW	0.0175
500	#4A-1	1/4-14 x 7/8 SD Screw, Washer	SNOW WHITE	
.			SOFFIT	0.016
250	#55-1	12-24 x 1 1/4 SD Screw, DP5, W/O Washer	GALVALUME PLUS	
.			SCREW	0.027
500	#17A-1	12-14 x 1 1/4 SD Screw, Washer	SNOW WHITE	
.			SOFFIT	0.0155

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00
SHIPPED VIA	
DATE SHIPPED	

PAGE 17 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT
4	F49-1X	0:12 Soffit Trim	SNOW WHITE	20- 2
.			SOFFIT TRIM	14.2049
7	F49-2E	4:12 Soffit Trim	SNOW WHITE	20- 2
.			SOFFIT TRIM	14.2049
2	F84-1E	4:12 Soffit Peak Trim	SNOW WHITE	5- 2
.			SOFFIT TRIM	2.2152
8	F294-1	Eave Strut Splice Trim - Low Side	S200 POLAR WHITE	0- 4
.			EAVE TRIM	0.2314
12	F3510-1	Rake Angle Lap Cover - CFR & LS-36	S200 POLAR WHITE	0- 8
.			EAVE TRIM	0.3267
8	F4048-1	LS-36 Jamb Filler Trim	SNOW WHITE	14- 0
.			SOFFIT TRIM	2.8941

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____



WORK ORDER NO.	
16-B- 42908-01	
REL#-VER-REV	GUI-XDS
0-23	033-V7.06.00

PAGE 18 8600 South I-35 Service Road, Oklahoma City, OK 73149

CUSTOMER NORTHERN MANAGEMENT SERVICES INC

SHIP TO ALASKA RAILROAD CORPORATION

SHIPPED VIA

ADDRESS SANDPOINT, ID

ADDRESS GIRDWOOD, AK

DATE SHIPPED

QTY	LABEL	DESCRIPTION	COLOR	LENGTH
GALV		ANID	CODE	WEIGHT

(49)		TOTAL BUILT UP ITEMS TONS/WEIGHT		4.9/(9857)
(79)		TOTAL HOT ROLLED ITEMS TONS/WEIGHT		1.3/(2620)
(309)		TOTAL COLDFORM ITEMS TONS/WEIGHT		5.5/(10962)
(46)		TOTAL FAB COLDFORM ITEMS TONS/WEIGHT		0.6/(1188)
(52)		TOTAL WALL PANEL ITEMS TONS/WEIGHT		0.2/(420)
(43)		TOTAL TRIM ITEMS TONS/WEIGHT		0.1/(243)
(3522)		TOTAL WAREHOUSE ITEMS TONS/WEIGHT		0.2/(424)
(4100)		TOTAL ITEMS TONS/WEIGHT		12.9/(25713)

LIST BY	DATE	CHECKED BY	DATE
EBF/CLS	05-25-18	62034	

RECEIVED BY _____ DATE _____